



C=Coatings ; CON=Cementitious ; I=Inks;
D=Detergents ; A=Adhesives ; P=Plastics ;
E=Polymer emulsions: Cer=Ceramics

PRODUCT LIST

not all products are stocked locally.- please enquire

Description	kg/ pack	Appli- cation	Notes
Nouryon- Cellulosic Thickener			
Bermocoll EBS 481FQ	20	C,D	EHEC medium viscosity
Bermocoll EM 7000FQ	20	C,D	MEHEC high viscosity
Bermocoll EBM 8000	20	C,D	MEHEC high viscosity
Bermocoll EBM 10000	20	C,D	MEHEC highest viscosity
Bermocoll Prime 3500	20	C	MEHEC Improved range - medium viscosity
Bermocoll EHM 200	20	C	EHEC Associative cellulosic thickener low viscosity
Bermocoll EHM 500	20	C	EHEC Associative cellulosic thickener high viscosity
Bermocoll ML31	15	CON	MEHEC flow and water retention in cementious applications
Bermocoll E230FQ	15	CON	EHEC flow and water retention in flooring application
Nouryon - Gabrosa			
Gabrosa M300 medium visc	25	CON	MHEC non-ionic, water soluble cellulose ether intended as a water retaining and consistency improving additive to cement based mortars
Gabrosa M2000 high visc	25	CON	
Nouryon - Kelco			
FINNFIK various grades	25	C,CON	Carboxy methyl Cellulose
Nouryon - Wetting and Dispersing additives		Water- and Solvent based	
Ethylan CDP1480	850	C	Non-ionic surfactant - offers improved colour acceptance in wb paints. Replace NP9/10
Ethylan EF-60		C	Replace glycols in wb. VOC APEO free
Phospholan PE169	200	C	Anionic W/S-borne. Synthetic alcohol ethoxylate phosphate ester
Duomeen TDO	170	C	Cationic Surfactant S-borne – fatty Diamine salt
see tradenames below			please contact us for more information
Cationic and amphoteric surfactants		Anionic Surfactants	
Duomeen , Amphoteen ,Armeen, Arquad		Phospholan	
Nonionic Surfactants		Polymer Surfactants	
Amadol , Berol, Ethylan, Witcamide			
Nouryon Colloidal Silca			
LevaSil CC301		C	Clear wood coatings , Anti fouling & dirt repellent paint
LevaSil		CON	Viscosity modifier in concrete applications
please enquire for constr. Grades		CON	Soil stabiliation and low permeability barriers
Celanese - Elotex			
Elotex MP2100	25	CON	Multi-purpose redispersible powder
Elotex Flowkit 74	25	CON	self-levelling combination Super Plastiser, Celulose ether, defoamer
Elotex Seal 81 and Seal 200	25	CON	efficient hydrophobizing / water repellent additive (white powder) in cementitious mortars

Elotex FX 2320	25	CON	flexible redispersible binder for the modification of mortar and plaster systems, based on cement
Elotex HD2000 /HD1500 /HD4500	25	CON	Hydrophobic redispersible binder for the modification of mortar and plaster systems, based on cement
Elotex HD2280	25	CON	Self-leveling screeds
<i>Other Elotex grades are available - please enquire for your specific application</i>			
PETROLEUM RESIN			YUEN LIANG
SK120	25	C,I,A	Petroleum , Hydrocarbon Resin
Chempart Polysaccharide Resins and derivatives			
SC100	250	C,I	facilitates addition of water in Long and medium oil resins. replacement for Lorama LPR 76 / 221
DS500	190	C,I	dispersing agent (solvent based) replacement for BYK107/108
SC400	250	C,I	facilitates addition of water in Short oil and Styrenated Alkyd resins
MM150	200	C,I	Single product milling media for production of universal, binder free colour concentrates
Pro W21	200	C,I	Emulsifier - water into enamel paints. Replacing % of solvents, replacement for Bevaloid 815D and Dissastab.
DYNOADD			Texture additives for water-borne, solvent-borne and radcure
P-520			monodisperse, spherical particles provide especially fine and uniformly
HPF Minerals			Speciality mineral fillers
Kaolin / Hydrous Clay AKPure gloss 0503, AKPure supermatt, AKPure matt	C,CON,P		Paints , Dispersion Adhesives (PVA), Rubber
	C		Paints , Wash Primers , High Quality Matt Finish Paints
Silica flour	C,CON,P		Paint, External Plasters, anticorrosive coating, electrical epoxy resins,
White Silica	C,CON		Emulsion Plasters, Silicate Plasters, Road marking.
Cristobalite	C,CON		External Paints, Plasters, Roadmarking, Antiblock in PP&PE films,
Fused Silica	C,CON		Laquers, Casting resins systems / Electrical insulation
Colored Silica	C,CON		Roadmarking, Colored Plasters, Solid surface & PMMA, EP, UP
Treated Wollastonite Low Aspect Ratio and High Aspect Ratio	C,CON		Automotive engineered plastics, fluoro elastomers, powder coating, corrosion protection i.e EP/PUR aqueous system
Mica and Mineral Mix	C,CON		Silicate Paints, Thermoplastic ployers, Crack prevention in paints and plasters, anticorrosive coatings, matting in powder coating, High Temp coatings. Decorative effects
Feldspar	C,CON		Paints, silicate paints and plasters, Clear Laquer systems , UV curing systems
Anhydrite	C,CON,A		Clearcoat systems, Industrial coatings, construction chemicals, Adhesives
Conductive Fillers	P		Thermal conductive thermoplastic compounds and -epoxy resins composites, LED's
			Tradenames
			MILLISIL / SIKRON / SILBOND / SILMIKRON BRUFIL / AMOCIL / TREMIN CHINAFIL / MICA / TREMICA / TREFIL / AKPure ASPOLIT / MICROSPAR / MINEX / TREMINEX SILATHERM SILGLOW / COLORITQUARZ

SEPIOLSA	Rheoplus Sepiolite and Attapulgite Clays for Coatings, Construction, Bleaching Earth, Fertilizer, Asphalt/Bitumum	
Rheoplus TS3010A	C, CON	Sepiolite clay rheology modifiers for use in Coatings and cementitious applications
Rheoplus TSC5020	CON , C	Sepiolite clay rheology modifier with easier dispesibility than TS3010A
Rheoplus TA2010	C, CON	Attapulgite clay rheology modifier (vs Attagel 50)
Sepigel bleaching Earth	Bleaching process for edible oils	
Sepigel Natural , Active and Supreme grades	choice depending on the type of oil	
ENVIRO SPHERES		
E-spheres	Hollow Ceramic Microspheres for Anti-slip coatings, Body fillers, Abrasives, Brake pads, Cementitious appl, FRP, Refractory, Sealants, handcleaners, Thermal Insulation	
CHEMTRADE also sources		
	C,A,CON	Polyvinyl Alcohol (PVA) various grades
		Polivinyll Butyral - various grades

Rheology & Functional additives

The Rheoplus® range is comprised of a range of functional additives and fillers especially designed for a wide variety of industrial applications where rheological, binding and absorption are required. Rheoplus offers solutions for construction, paints and asphalt.

Bleaching Earths

The **Sepigel**® range, natural and activated, offers optimal solutions in the different markets and applications related to purification, refining and bleaching of oils and fats. Sepigel offers high bleaching activity, excellent filtration speed, and lower oil retention, which leads to a substantial reduction in the bleaching cost.

Nouryon range of dispersing agents, wetting agents, compatibilizers and multifunctional additives for use in coatings, **Chemistries** :

Non ionic ethoxylates (Berol, Ethylan), Amines/Diamines (Armeen, Duomeen), Quaternary ammonium compounds (Arquad), Amine salt (Duomeen TDO), Amides (Witcamide), Amine ethoxylate (Ethomeen), Polymers(Alcosperse, Alcogum), Sulfosuccinates(Lankropol), Phosphate esters (Phospholan).